核准日期: 2007年01月18日 修改日期: 2019年12月01日



## 破伤风人免疫球蛋白说明书

请仔细阅读说明书并在医师指导下使用

活演事的預點、但確定、50分在代資素を已知和采到胸原体的潜在风险、临床使用时应权資利等。

【药品名称】 適用名称、破伤风人免疫球蛋白
 英文名称: Human Tetanus Immunoglobulin
 汉语拼音: Postangleng Ren Mianyiquidanbal

【成 份】 本品系由含素の状態 (内域内电影体) 电影 经低温乙醇蛋白分离法分离绝化,并经病毒去除和灭活
 女理制成。含适宜稳定剂,不含药腐剂和抗生素。
 本品用的结解: 甘藪飯。 架位物。

【性 状】 本品应为无色或淡黄色通明液化、可带乳光、不应出现浑浊。
【選 成 宜】 主要用于预防和治疗破伤风、尤其适用于对破伤风抗毒素(TAT)有过敏反应者。

【频 格】 每瓶含破伤死抗体250时(以25mm)。

【用法用量】 用法:供餐部肌内注射、不需作皮试、不得用作静脉注射。

用量: 【用法用量】 用法、供警部肌内注射、不需作及试、不得用作静脉法据。 用量、 1. 預防剂量、儿童、成人一次用量250U」。创商严重或创面污染严重者可加倍。
 2.参考治疗剂量、3000~6000U,尽快用光、可多点注射。 一般无不良反应。 投少数人有型肿、疼痛患、无解神殊处理,可自行恢复。
 【禁 忌】
 【注意事项】 1. 应用本品作被动免疫的同时,可使用吸附破伤风疫苗进行自动免疫、但注射部位和用具应分开。
 2.制品应分离明或可非别无法体、可能组现微量沉淀、但一经福动应立即消散。若有插不散的沉淀或异物,以及废康有裂致、过期失效等情况、均不得使用。
 【查码双端弧 3.升融后, 【孕妇及哺乳 期妇女用药】 尚不明确。 【儿童用药】 尚不明确。 【老年用药】 尚不明确。 【药物相 互作用】 应单独使用。 雷班研究: 尚不明确。 「茶中辆。」 「产工業」 「企工業」 「企工業」 「企工業」 「企工業」 「企工業」 「企工業」 「企工業」 「会工業」 「会工業 「 【批准文号】 国药准字S20053027

E-mail: szwg@szwg.com

Date of approval: 18.01.2007 Date of modify: 01.12.2019



## Human Tetanus Immunoglobulin Instructions Please read the instructions carefully and follow the doctor's instruction.

## Warning

The raw material of the product is from human blood plasma, Although it's screened for related infectious agents, and simultaneously, virus removal and inactivation procedure are included in the manufacturing process, such products may still potentially carry alone some known or unknown infectious agents, so one must balance risk versus benefit in clinkal.

The raw material of the product is from human blood plasma. Although it's screened for related infectious agents, and simultaneously virus removal and mactivation procedure are included in the manufacturing process, such products may still potentially carry alone some known or unknown infectious agents, so one must balance risk versus benefit in clinkal.

[Drug Name]
Human Tetanus immunoglobulin
Poshangfeng Ren Mianyiqiudanbai
[Composition]
The product is such human tetanus immunoglobulin that is prepared from plasma with rather high titer of surface antibody of tetanus which is collected from the blood contributors immunized with the tetanus vaccine and processed through the cold ethanol protein fractionation and deactivating the virus. It contains a proper quantity of stabilizer, and contains no antibiotics. Merthiolate preservative may be added.

Adjuvant: Chlorbydric acid, Sodium chloride.

[Description] The product is colories so rabe. Yellow clear liquid which may be slightly opalescent but not turbid.

[Indications] The product is colories to rabe.

[Indications] The product is colories to rabe.

[Specification] Tetanus Immunoglobulini: 230tu [2.5ml] hottle.

[Administrations and Dousage]

Administrations and Dousage.

[Administrations and Dousage]

Administrations and Dousage.

[Administrations and Dousage]

[Adverse Reactions]

There are no adverse reactions generally, though minority patients might find flare or pain, which will recover and need no particular treatment.

[Contraindications] The product for passive immunization, tetatoxoid may be used for active immunization, but it is necessary to keep the apparatus away from the injection spot.

[Precaution]

In Product is clear or opalescent liquid. There may be a minim of sediment after long-time storage, which will dissolve by shaking the borduct one-off after being opened; more than one time usage is not allowed.

[Prequancy and Varising Mothers Use] Uncertain

[Ordinative Seld Uncertain

[Ordinative Seld Uncertain

[Ordinative Seld Uncertain

[O